

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	33	(hash\$3 (shift\$3 NEAR register\$1)) AND (inner loop inner\$1loop) AND pipelin\$3 AND ("726".clas. "713".clas. 380/59,265.ccls. 365/78,80-90,189.12,240.ccls. 377/54,57,64-81.ccls. 708/233,234,252,253,256,406,507,508,521,524,534,631,682,685,706.ccls. 327/241,403,473.ccls. 711/109.ccls. 345/100,505,506.ccls. 712/212.ccls. 382/303,304.ccls.) AND (@pd<"20031204" @ad<"20031204" @prad<"20031204" @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/19 15:14
L2	33	(hash\$3 (shift\$3 NEAR register\$1) shift\$1register) AND (inner loop inner\$1loop) AND pipelin\$3 AND ("726".clas. "713".clas. 380/59,265.ccls. 365/78,80-90,189.12,240.ccls. 377/54,57,64-81.ccls. 708/233,234,252,253,256,406,507,508,521,524,534,631,682,685,706.ccls. 327/241,403,473.ccls. 711/109.ccls. 345/100,505,506.ccls. 712/212.ccls. 382/303,304.ccls.) AND (@pd<"20031204" @ad<"20031204" @prad<"20031204" @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/19 15:15
L3	31	stage AND (hash\$3 (shift\$3 NEAR register\$1) shift\$1register) AND (inner loop inner\$1loop) AND pipelin\$3 AND ("726".clas. "713".clas. 380/59,265.ccls. 365/78,80-90,189.12,240.ccls. 377/54,57,64-81.ccls. 708/233,234,252,253,256,406,507,508,521,524,534,631,682,685,706.ccls. 327/241,403,473.ccls. 711/109.ccls. 345/100,505,506.ccls. 712/212.ccls. 382/303,304.ccls.) AND (@pd<"20031204" @ad<"20031204" @prad<"20031204" @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/19 15:15
L4	18	chain\$3 AND stag\$3 AND (hash\$3 (shift\$3 NEAR register\$1) shift\$1register) AND (inner loop inner\$1loop) AND pipelin\$3 AND ("726".clas. "713".clas. 380/59,265.ccls. 365/78,80-90,189.12,240.ccls. 377/54,57,64-81.ccls. 708/233,234,252,253,256,406,507,508,521,524,534,631,682,685,706.ccls. 327/241,403,473.ccls. 711/109.ccls. 345/100,505,506.ccls. 712/212.ccls. 382/303,304.ccls.) AND (@pd<"20031204" @ad<"20031204" @prad<"20031204" @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/19 15:15

EAST Search History (Prior Art)

L5	1	chain\$3.cdm. AND hash\$3.cdm. AND inner.cdm. AND loop.cdm. AND pipelin\$3.cdm. AND ("726".clas. "713".clas. 380/59,265.ccls. 365/78,80-90,189.12,240.ccls. 377/54,57,64-81.ccls. 708/233,234,252,253,256,406,507,508,521,524,534,631,682,685,706.ccls. 327/241,403,473.ccls. 711/109.ccls. 345/100,505,506.ccls. 712/212.ccls. 382/303,304.ccls.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/19 15:16
S1	109	380/265.ccls. AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/26 15:03
S2	58	(parallel OR congruent OR pipeline) AND 380/265.ccls. AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 13:02
S3	1	(SHA OR hash) AND (parallel OR congruent OR pipeline) AND 380/265.ccls. AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 13:03
S5	1	(hash OR secure hash algorithm) AND (parallel OR congruent OR pipeline) AND 380/265.ccls. AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 13:04
S6	27	algorithm AND (parallel OR congruent OR pipeline) AND 380/265.ccls. AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 13:04
S7	8	chaining variable AND stage AND control logic AND scheduled AND (computer OR processor OR CPU) AND (parallel OR congruent OR pipeline) AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 13:11
S8	821	(hash OR secure\$hash\$algorithm) AND (computer OR processor OR CPU) AND (parallel OR congruent OR pipeline) AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 13:12

EAST Search History (Prior Art)

S9	41	inner loop AND (hash OR secure\$hash\$algorithm) AND (computer OR processor OR CPU) AND (parallel OR congruent OR pipeline) AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 13:14
S10	41	inner loop AND (hash OR secure\$hash\$algorithm) AND (parallel OR congruent OR pipeline) AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 13:27
S11	58	parallel computing AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 13:27
S12	0	encrypted parallel computing AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 13:27
S13	0	hash parallel computing AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 13:27
S14	18	hash AND parallel computing AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 13:36
S15	122	(secure hash algorithm OR hash) AND parallel computing AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 13:36
S16	269	(secure hash algorithm OR hash) AND (parallel OR pipeline\$1 OR congruent) comput\$3 AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 13:37
S17	2971	(SHA\$3 OR secure hash algorithm OR hash) AND (parallel OR pipeline\$1 OR congruent) comput\$3 AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 13:37

EAST Search History (Prior Art)

S18	270	(SHA-\$3 OR secure hash algorithm OR hash) AND (parallel OR pipeline\$1 OR congruent) comput\$3 AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 13:38
S19	7	inner loop AND (SHA-\$3 OR secure hash algorithm OR hash) AND (parallel OR pipeline\$1 OR congruent) comput\$3 AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 13:39
S20	203	network AND (SHA-\$3 OR secure hash algorithm OR hash) AND (parallel OR pipeline\$1 OR congruent) comput\$3 AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 13:40
S21	90	stage AND network AND (SHA-\$3 OR secure hash algorithm OR hash) AND (parallel OR pipeline\$1 OR congruent) comput\$3 AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 13:40
S22	171	(procedure OR stage) AND network AND (SHA-\$3 OR secure hash algorithm OR hash) AND (parallel OR pipeline\$1 OR congruent) comput\$3 AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 13:41
S23	0	chain\$3 variable AND (procedure OR stage) AND network AND (SHA-\$3 OR secure hash algorithm OR hash) AND (parallel OR pipeline\$1 OR congruent) comput\$3 AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 13:41
S25	106	schedul\$4 AND (procedure OR stage) AND network AND (SHA-\$3 OR secure hash algorithm OR hash) AND (parallel OR pipeline\$1 OR congruent) comput\$3 AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 14:09
S26	19	schedul\$4 AND (procedure OR stage) AND network AND (SHA-\$3 OR secure hash algorithm OR hash algorithm) AND (parallel OR pipeline\$1 OR congruent) comput\$3 AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 14:11
S27	174	network AND (SHA-\$3 OR secure hash algorithm OR hash algorithm) AND (distributed OR parallel OR pipeline\$1 OR congruent) comput\$3 AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 15:16

EAST Search History (Prior Art)

S28	2	"6654783".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 14:18
S29	106	network AND (SHA-\$3 OR secure hash algorithm OR hash algorithm) AND (distributed OR parallel OR pipeline\$1 OR congruent) comput\$3 AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 15:17
S30	0	distributed computing concurrency AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 15:45
S31	27	distributed computing AND concurrency AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 15:46
S32	4	distributed computing AND concurrency AND SHA AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 15:46
S33	3	(hash) AND (parallel OR congruent OR pipeline) AND 380/265.ccls. AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/26 09:41
S34	1	inner loop AND stage AND pipeline AND 380/265.ccls. AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/26 11:38
S35	23	inner loop AND stage AND pipeline AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/26 11:38

EAST Search History (Prior Art)

S36	23	parallel AND inner loop AND stage AND pipeline AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/26 11:38
S37	3	"SHA" AND parallel AND inner loop AND stage AND pipeline AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/26 11:39
S38	5	hash AND parallel AND inner loop AND stage AND pipeline AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/26 13:44
S39	13	adder AND hash AND operating frequency AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/26 13:53
S40	49	decode AND inner loop AND hash AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/26 13:54
S41	48	processor AND decode AND inner loop AND hash AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/26 13:54
S42	48	network AND processor AND decode AND inner loop AND hash AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/26 13:56
S43	48	stage AND processor AND decode AND inner loop AND hash AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/26 15:02

EAST Search History (Prior Art)

S44	2	(ghz OR gigahertz OR giga) AND 380/265.ccls. AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/26 15:05
S45	3196	(380/265.ccls. 365/80-90.ccls. 377/64-81.ccls.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/08 13:59
S46	36	pipeline\$1 AND stage\$1 AND (380/265.ccls. 365/80-90.ccls. 377/64-81.ccls.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/08 13:59
S47	1	dedicat\$3 AND pipeline\$1 AND stage\$1 AND (380/265.ccls. 365/80-90.ccls. 377/64-81.ccls.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/08 14:00
S48	10	individual AND pipeline\$1 AND stage\$1 AND (380/265.ccls. 365/80-90.ccls. 377/64-81.ccls.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/08 14:01
S49	0	hash\$3 AND (outer inner multi\$1loop multi\$1round) AND individual AND pipeline\$1 AND stage\$1 AND (380/265.ccls. 365/80-90.ccls. 377/64-81.ccls.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/08 14:02
S50	1	hash\$3 AND (outer inner multi\$1loop multi\$1round) AND pipeline\$1 AND stage\$1 AND (380/265.ccls. 365/80-90.ccls. 377/64-81.ccls.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/08 14:03
S51	29	shift\$3 AND register AND pipeline\$1 AND stage\$1 AND (380/265.ccls. 365/80-90.ccls. 377/64-81.ccls.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/08 14:03

EAST Search History (Prior Art)

S52	1	dedicat\$3 AND shift\$3 AND register AND pipeline\$1 AND stage\$1 AND (380/265.ccls. 365/80-90.ccls. 377/64-81.ccls.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/08 14:03
S53	9	individual AND shift\$3 AND register AND pipeline\$1 AND stage\$1 AND (380/265.ccls. 365/80-90.ccls. 377/64-81.ccls.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/08 14:03
S54	93	feghali.in.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/08 14:19
S55	21	feghali.in. AND pipeline\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/08 14:19
S56	12	feghali.in. AND pipeline\$1 AND stage\$1 and hash\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/08 14:19
S57	5	feghali.in. AND pipeline\$1 AND stage\$1 and hash\$3 AND loop	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/08 14:19
S58	36	pipeline\$1 AND stage\$1 AND (380/265.ccls. 365/80-90.ccls. 377/64-81.ccls.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/23 11:14
S59	0	instruction\$1level AND parallelism AND (380/265.ccls. 365/80-90.ccls. 377/64-81.ccls.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/23 11:17

EAST Search History (Prior Art)

S60	36	pipelin\$3 AND stage\$1 AND (380/265.ccls. 365/80-90.ccls. 377/64-81.ccls.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/23 12:40
S61	1	hash\$3 AND pipelin\$3 AND stage\$1 AND (380/265.ccls. 365/80-90.ccls. 377/64-81.ccls.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/23 12:40
S62	1	hash\$3 AND pipelin\$3 AND (380/265.ccls. 365/80-90.ccls. 377/64-81.ccls.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/23 12:40
S63	33	hash\$3 AND pipelin\$3 AND (380/265.ccls. 365/78,80-90,189,12,240.ccls. 377/54,57,64-81.ccls. 708/233,234,252,253,256,406,507,508,521,524,534,631,682,685,706.ccls. 327/241,403,473.ccls. 711/109.ccls. 345/100,505,506.ccls. 712/212.ccls. 382/303,304.ccls.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/23 12:55
S64	307	(shift register hash\$3) AND pipelin\$3 AND (380/265.ccls. 365/78,80-90,189,12,240.ccls. 377/54,57,64-81.ccls. 708/233,234,252,253,256,406,507,508,521,524,534,631,682,685,706.ccls. 327/241,403,473.ccls. 711/109.ccls. 345/100,505,506.ccls. 712/212.ccls. 382/303,304.ccls.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/23 12:55
S65	28	(shift register hash\$3) AND pipelin\$3 AND (380/265.ccls. 365/80-90.ccls. 377/64-81.ccls.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/23 12:56
S66	22	(shift register hash\$3) AND pipelin\$3 AND inner loop AND (380/265.ccls. 365/78,80-90,189,12,240.ccls. 377/54,57,64-81.ccls. 708/233,234,252,253,256,406,507,508,521,524,534,631,682,685,706.ccls. 327/241,403,473.ccls. 711/109.ccls. 345/100,505,506.ccls. 712/212.ccls. 382/303,304.ccls.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/23 12:56

EAST Search History (Prior Art)

S67	1	inner loop AND (shift register hash\$3) AND pipelin\$3 AND (380/265.ccls. 365/80-90.ccls. 377/64-81.ccls.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/23 12:56
S68	2	"20020001384".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/23 13:08
S69	4	"20020001384".pn. "5365588".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/23 13:09
S70	1	"inner loop".clm. AND pipelin\$3.clm. AND (380/265.ccls. 365/80-90.ccls. 377/64-81.ccls.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/11 14:38
S71	3	"inner loop".clm. AND pipelin\$3.clm. AND ("726".clas. "713".clas. 380/265.ccls. 365/80-90.ccls. 377/64-81.ccls.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/11 14:38
S72	3	"inner loop".clm. AND pipelin\$3.clm. AND ("726".clas. "713".clas. "380".clas. 365/80-90.ccls. 377/64-81.ccls.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/11 14:39
S73	3	"inner loop".clm. AND pipelin\$3.clm. AND ("726".clas. "713".clas. 380/265.ccls. 365/78,80-90,189.12,240.ccls. 377/54,57,64-81.ccls. 708/233,234,252,253,256,406,507,508,521,524,534,631,682,685,706.ccls. 327/241,403,473.ccls. 711/109.ccls. 345/100,505,506.ccls. 712/212.ccls. 382/303,304.ccls.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/11 14:39
S74	3	"inner loop".clm. AND pipelin\$3.clm. AND ("726".clas. "713".clas. 380/59,265.ccls. 365/78,80-90,189.12,240.ccls. 377/54,57,64-81.ccls. 708/233,234,252,253,256,406,507,508,521,524,534,631,682,685,706.ccls. 327/241,403,473.ccls. 711/109.ccls. 345/100,505,506.ccls. 712/212.ccls. 382/303,304.ccls.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/11 14:40

EAST Search History (Prior Art)

S75	1	hash.dlm. AND "inner loop".dlm. AND pipelin\$3.dlm. AND ("726".clas. "713".clas. 380/59,265.ccls. 365/78,80-90,189,12, 240.ccls. 377/54,57,64-81.ccls. 708/233, 234,252,253,256,406,507,508,521,524,534, 631,682,685,706.ccls. 327/241,403,473. ccls. 711/109.ccls. 345/100,505,506.ccls. 712/212.ccls. 382/303,304.ccls.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/11 14:40
S76	18	chain\$3 AND (hash\$3 (shift\$3 NEAR register\$1)) AND inner loop AND pipelin\$3 AND ("726".clas. "713".clas. 380/59,265. ccls. 365/78,80-90,189,12,240.ccls. 377/54,57,64-81.ccls. 708/233,234,252, 253,256,406,507,508,521,524,534,631,682, 685,706.ccls. 327/241,403,473.ccls. 711/109.ccls. 345/100,505,506.ccls. 712/212.ccls. 382/303,304.ccls.) AND (@pd<"20031204" @ad<"20031204" @prad<"20031204" @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/11 14:41